

Rhodium Dental Labs Pty Ltd
34 Kindra Avenue, Karana
Downs, QLD, 4306, Australia.
Email: auslabs@rhodium.com
AU free phone: 1800 449 282
www.rhodium.com

Standard delivery time frame is up to 10 working days*
from receiving the impression at our laboratory.
We will notify you when we have received this.

1 Dentist/Practice Details

Dentist name: _____ Date: _____

Practice name: _____

2 Contact and Shipping Details

Contact phone number: _____

Shipping address: _____


3 Patient Details

Name/Code: _____

4 Disinfection Confirmation

I have *disinfected* the impression with: _____ by: _____

5 Dental Onlay Specifications (Please circle the tooth number)



Profile (Molars only):

High Anatomy

Low Anatomy

(More conservative)



Cross section of hard layers

Shade:

A1

A2

A3

6 Accessories (1 McDonald Matrix Band, 2 OVC Proximal Wedges and 2 Green Wedges are included complimentary)

Add 2 extra OVC Proximal Wedges:

(tick)

\$1

Add 1 extra McDonald Matrix Band:

(tick)

\$2

Reusable Hex Sticks:

(quantity of packs)

\$29 per pack (contains 2 Hex Sticks)

OVC Contact Instrument:

(quantity)

\$39 per instrument

Light Cured Block Out Resin 1.5ml:

(quantity)

\$19.95 per tube

Custom made device | Supplied in an unsterilised state

This medical device has been manufactured to satisfy the design characteristics and properties specified by the prescriber for the above referenced patient.
All prices quoted are GST exclusive.

*as we use standard shipping services, any delays in shipping are out of our control.

The impression is taken of a **un-prepared tooth**. The impression is best taken at the initial consultation. If, at the consultation, the patient is unsure as to which treatment option to take, we recommend taking a “no obligation quick impression” to prevent the patient having to return. This task could be given to a skilled dental assistant to save time.

We recommend dual-arch trays.

Please ensure the following:

- The patient’s teeth **must** be in **centric** occlusion.
- Include teeth on either side of the treatment tooth.
- Canines should be in the impression as our lab needs canine-guidance to get the occlusion correct.
- The entire un-prepped crown of the tooth to be treated should be in the impression. Less impression material is required for the opposing arch as only the occlusal surfaces are required.

Material choice

Any silicone impression material is suitable. We recommend fast set PVS materials such as bite impression materials. Cavex ColorChange Alginate is also acceptable as this is dimensionally stable for 7-9 days. Wrap alginate in damp tissue and place in a Ziplock bag.

If you are concerned about the longevity of alginate, please cast the treatment side with stone-plaster.

Wrap impressions carefully in bubble-wrap to minimise the chance of distortion during shipping to the lab.

Shipping Instructions

- 1** To arrange a pickup – email auslabs@rhondium.com indicating you have an impression to pick up.
- 2** Our team will email you the shipping label. Please print this label and affix it to the outside of your package so that the barcode is facing outwards.
- 3** Wrap your impression and place it inside appropriate packaging with the prescription form.

For terms and conditions visit www.rhondium.com/tc

AU Free Phone: 1800 449 282